

**From:** john.smelko@cabotog.com  
**Sent:** 1/26/2012 6:34:52 PM  
**To:** "Richard Rupert/R3/USEPA/US" <Rupert.Richard@epamail.epa.gov>  
**CC:** "Andy Mehalko" <andy.mehalko@cabotog.com>; "Denis Eagan" <DEagan@moody-s.com>; "Richard Fetzer/R3/USEPA/US@EPA" <Fetzer.Richard@epamail.epa.gov>  
**Subject:** RE: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

Rupert,

Thanks for sending. A couple follow-up questions:

- Based on our discussion on Monday and the list of detection limits you have provided, is the EPA analyzing for radionuclides?
- For the metals, are you analyzing the select elements by both methods (200.7 and 200.8)?
- Can you please clarify the biological testing to be performed?

Thanks,  
John

\*\*\*\*\*

John Smelko  
North Region Manager, Environmental and Regulatory Compliance  
Cabot Oil & Gas Corporation  
Five Penn Center West, Suite 401  
Pittsburgh, PA 15276  
412-249-3854 (Office)  
412-613-7642 (Cell)  
John.Smelko@cabotog.com

**From:** Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]  
**Sent:** Thursday, January 26, 2012 5:43 PM  
**To:** John Smelko  
**Cc:** Andy Mehalko; Denis Eagan; Richard Fetzer  
**Subject:** RE: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

John, sorry for the delay. I understand that your most urgent need at this point are detection limits. Please find the attached spreadsheet that details the method detection limits. (disregard the surface water reference)

The decon plan is moot at this point since we are using only dedicated equipment.

The SAP that you have in your procession is current with the exception of the addition of glycol analysis.

Once we get it updated I will get you the most current version. I will get you the other document as soon as I can track them down.

Thanks for your patience.

Rich

---

Richard Rupert  
On-Scene Coordinator  
U.S.EPA  
1650 Arch Street - 3HS31  
Philadelphia, PA 19103

(215) 814-3463 - office  
215 514 8773 - MOBILE  
rupert.richard@epa.gov  
From: John Smelko <john.smelko@cabotog.com>  
To: Richard Rupert/R3/USEPA/US  
Cc: Richard Fetzer/R3/USEPA/US@EPA, Andy Mehalko <andy.mehalko@cabotog.com>, Denis Eagan <DEagan@moody-s.com>  
Date: 01/26/2012 02:18 PM  
Subject: RE: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

Rupert,

Just checking in – can you please forward the items I requested in my e-mail below?

Hope things are going well in the field.

Thanks in advance,  
John

\*\*\*\*\*

John Smelko  
North Region Manager, Environmental and Regulatory Compliance  
Cabot Oil & Gas Corporation  
Five Penn Center West, Suite 401  
Pittsburgh, PA 15276  
412-249-3854 (Office)  
412-613-7642 (Cell)  
John.Smelko@cabotog.com

**From:** Richard Rupert [<mailto:Rupert.Richard@epamail.epa.gov>]  
**Sent:** Tuesday, January 24, 2012 6:54 PM  
**To:** John Smelko  
**Cc:** Richard Fetzer; Andy Mehalko; Denis Eagan  
**Subject:** Re: Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

To answer the easiest question now, we anticipate no surface water sampling.  
I will try work at getting you the rest of your request tomorrow.  
Regards,  
Rupert

---

Richard Rupert  
On-Scene Coordinator  
Region III U.S.Environmental Protection Agency  
1650 Arch Street, 3HS31  
Philadelphia, PA 19103-2029  
(215) 814-3463 FAX (215) 814-3254  
e-mail rupert.richard@epa.gov

**From:** John Smelko [[john.smelko@cabotog.com](mailto:john.smelko@cabotog.com)]  
**Sent:** 01/24/2012 11:50 PM GMT

**To:** Richard Rupert  
**Cc:** Richard Fetzner; Andy Mehalko <andy.mehalko@cabotog.com>; Denis Eagan <DEagan@moody-s.com>  
**Subject:** Dimock Investigation -- Follow-up from Kick-off Meeting Yesterday

Rupert,

As a follow-up from our discussion yesterday at the Command Center, please send us a copy of the following:

- Revised Field Sampling Plan/Work Plan
- Program QAPP
- Environmental Response Team SOP No. 2007 (ERT, 1995) for Residential Well Sampling
- Decon Procedure
- Analytical Methods per Analyte and Respective Method Detection Limits

Also, just to confirm, you indicated yesterday that no surface water samples would be collected. Is that still the case?

Thanks in advance.  
John

\*\*\*\*\*

John Smelko  
North Region Manager, Environmental and Regulatory Compliance  
Cabot Oil & Gas Corporation  
Five Penn Center West, Suite 401  
Pittsburgh, PA 15276  
412-249-3854 (Office)  
412-613-7642 (Cell)  
John.Smelko@cabotog.com